














Current (1999) Wildlife-Habitat Types

Columbia Plateau Province
Columbia River Basin
United States

119° 118° 117°



-  Mesic Lowlands Conifer-Hardwood
-  SW Oregon Mixed Conifer-Hardwood
-  Montane Mixed Conifer
-  Interior Mixed Conifer
-  Lodgepole Pine Dominant
-  Ponderosa Pine & Interior White Oak
-  Upland Aspen
-  Subalpine Parkland
-  Alpine Grasslands and Shrublands
-  Ceanothus-Manzanita Shrublands
-  Western Juniper & Mtn. Mahogany
-  Interior Canyon Shrublands

-  Interior Grasslands
-  Shrub-steppe
-  Dwarf Shrub-steppe
-  Desert Playa and Salt Scrub
-  Agriculture, Pastures, & Mixed Environs
-  Urban and Mixed Environs
-  Open Water
-  Herbaceous Wetlands
-  Westside Riparian - Wetlands
-  Montane Coniferous Wetlands
-  Interior Riparian - Wetlands



SCALE 1:3,250,000
1 inch represents 51.29 miles
10 0 10 20 30 40 50




Miles
May 2003

Source: Interactive Biodiversity Information System (IBIS).
Northwest Habitat Institute, 2003.

Historic (c. 1850) Wildlife-Habitat Types

Columbia Plateau Province
Columbia River Basin
United States



-  Mesic Lowlands Conifer-Hardwood
-  Montane Mixed Conifer
-  Interior Mixed Conifer
-  Lodgepole Pine Dominant
-  Ponderosa Pine & Interior White Oak
-  Upland Aspen
-  Subalpine Parkland
-  Alpine Grasslands and Shrublands
-  Western Juniper and Mountain Mahogany
-  Interior Grasslands

-  Shrub-steppe
-  Dwarf Shrub-steppe
-  Desert Playa and Salt Scrub
-  Open Water
-  Herbaceous Wetlands
-  Interior Riparian - Wetlands




SCALE 1:3,250,000
1 inch represents 51.29 miles
10 0 10 20 30 40 50



Miles
May 2003



Source: Interactive Biodiversity Information System (IBIS).
Northwest Habitat Institute. 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Interior Grasslands
Columbia Plateau Province
Columbia River Basin, United States



Interactive
Biodiversity
Information
System





SCALE 1:3,250,000
 1 inch represents 51.29 miles
 10 0 10 20 30 40 50



Miles
June 2003

Source: Interactive Biodiversity Information System (IBIS).
Northwest Habitat Institute, 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Shrub-steppe
Columbia Plateau Province
Columbia River Basin, United States



Interactive
Biodiversity
Information
System





SCALE 1:3,250,000
 1 inch represents 51.29 miles
 10 0 10 20 30 40 50



Miles
June 2003

Source: Interactive Biodiversity Information System (IBIS).
Northwest Habitat Institute, 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Ponderosa Pine & Interior White Oak
Columbia Plateau Province
Columbia River Basin, United States



SCALE 1:3,250,000

1 inch represents 51.29 miles



10 0 10 20 30 40 50



Miles

June 2003

Source: Interactive Biodiversity Information System (IBIS).
 Northwest Habitat Institute, 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Lodgepole Pine Dominant
Columbia Plateau Province
Columbia River Basin, United States



SCALE 1:3,250,000

1 inch represents 51.29 miles



10 0 10 20 30 40 50



Miles

June 2003

Source: Interactive Biodiversity Information System (IBIS).
 Northwest Habitat Institute, 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Montane Mixed Conifer
Columbia Plateau Province
Columbia River Basin, United States




SCALE 1:3,250,000
 1 inch represents 51.29 miles
 10 0 10 20 30 40 50

Miles

June 2003

Source: Interactive Biodiversity Information System (IBIS).
 Northwest Habitat Institute, 2003.



Percent Change in Wildlife-Habitat (c.1850 - 1999)
Western Juniper & Mountain Mahogany
Columbia Plateau Province
Columbia River Basin, United States



SCALE 1:3,250,000
 1 inch represents 51.29 miles
 10 0 10 20 30 40 50



Miles
 June 2003

Source: Interactive Biodiversity Information System (IBIS).
 Northwest Habitat Institute, 2003.