














# 2012 Washington Hatchery Fin Clipping Statistics Fall Chinook

## Washington Totals




Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.





























Map compiled 2/10/14  
project #256

# 2012 Washington Hatchery Fin Clipping Statistics Spring/Summer Chinook

## Washington Totals



Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.




























Map compiled 2/10/14 project #256

# 2012 Washington Hatchery Fin Clipping Statistics Steelhead

## Washington Totals



Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.


















# 2012 Washington Hatchery Fin Clipping Statistics Coho

## Washington Totals




Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.








Map compiled 2/10/14 project #256

# 2012 Washington Hatchery Fin Clipping Statistics *Chum*

Washington Totals




Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.



# 2012 Washington Hatchery Fin Clipping Statistics Sockeye

Washington Totals







Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.




Regional Mark Processing Center


StreamNet














## 2012 Oregon Hatchery Fin Clipping Statistics Coho

Oregon Totals





Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.




Regional Mark Processing Center

StreamNet












# 2012 Idaho Hatchery Fin Clipping Statistics Fall Chinook

Idaho Totals



1,762,284 fish stocked

Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.





# 2012 Idaho Hatchery Fin Clipping Statistics Spring/Summer Chinook

Idaho Totals




Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.

Regional Mark Processing Center StreamNet



# 2012 Idaho Hatchery Fin Clipping Statistics Steelhead

Idaho Totals





7,698,045 fish stocked

Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.



Regional Mark  
Processing Center


StreamNet



# 2012 Idaho Hatchery Fin Clipping Statistics

## Coho



Idaho Totals



Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.

 Regional Mark Processing Center

 StreamNet






# 2012 Idaho Hatchery Fin Clipping Statistics

## Sockeye

Idaho Totals



91,484 fish stocked

Data source: best available estimates for 2012 based on data harvested from the Regional Mark Information System (RMIS) on February 6, 2014. Data were summarized and compiled by staff from the Regional Mark Processing Center (RMPC) and StreamNet. Mapped locations depict primary hatchery facility.



Regional Mark  
Processing Center

StreamNet

