


Redband Trout Distribution

File Geodatabase Feature Class



Tags

Redband Trout, Fish Distribution, Washington, Idaho, Columbia River Basin, Pacific Northwest, Oregon, Montana, StreamNet Project

Summary

These data are intended for use in a variety of applications where fish distribution and activity is important. This StreamNet dataset contains distribution information for REDBAND TROUT based on data contributed by partner agencies. Within the feature class, spatial overlap does exist for some species/run/subrun combinations in cases where source data was contributed by multiple agencies for the same stream reach. Feature level metadata identifies the partner agency that contributed data to the regional StreamNet project and includes details about the basis for the information provided along with reference citations where available.

Description

This dataset documents fish distribution and activity for **REDBAND TROUT** from data submitted to the regional StreamNet project by partner agencies. This dataset was compiled from separate spatial datasets contributed by StreamNet partners as of January 31, 2019. Distribution is based upon survey data and, in some cases, the best professional judgement of local fish biologists, in the Pacific Northwest Region (Oregon, Washington, Idaho and Montana). These data were collected by biologists at the state fish & wildlife agencies of Washington (WDFW), Oregon (ODFW), Idaho (IDFG) and Montana (MFWP). Data were then compiled into spatial datasets by StreamNet partners. These separate source layers (identified in the References section of this metadata record) were submitted to the GIS staff at Pacific States Marine Fisheries Commission (PSMFC) where they were combined in to a single consistent regional dataset. These and other related data are available for download from the StreamNet website and are also publicly available on ArcGIS Online and via public web mapping applications.

Credits

Data was compiled by the StreamNet project (<http://www.streamnet.org>), which is administered by the Pacific States Marine Fisheries Commission. Data was provided by Washington Dept. of Fish and Wildlife, Oregon Dept. of Fish and Wildlife, Idaho Dept. of Fish and Game and Montana Fish Wildlife and Parks. The StreamNet project is funded by the Bonneville Power Administration (BPA Project # 1988-108-04).

Use limitations

Data are collected at various scales by StreamNet's partners. This dataset represents believed instances of fish distribution or habitat that likely supports fish distribution, and as every stream has not been fully evaluated, this is not an all-inclusive list of fish distribution in this region. Each line included in this feature class represents a stream segment of suitable habitat currently believed to be utilized by wild, natural, and/or hatchery fish populations and/or streams where sightings of wild, natural, and/or hatchery fish have been documented. Please read the metadata thoroughly and contact PSMFC's GIS team (gis@psmfc.org) with specific questions - especially if using this dataset in any official assessment efforts.

Extent

West -122.825496 **East** -113.718116
North 49.007430 **South** 41.824868

Scale Range

Maximum (zoomed in) 1:5,000
Minimum (zoomed out) 1:150,000,000

ArcGIS Metadata ▶**Topics and Keywords** ▶

THEMES OR CATEGORIES OF THE RESOURCE biota, inlandWaters, environment

* CONTENT TYPE Downloadable Data
 EXPORT TO FGDC CSDGM XML FORMAT AS RESOURCE DESCRIPTION No

PLACE KEYWORDS Washington, Idaho, Columbia River Basin, Pacific Northwest, Oregon, Montana

Hide Topics and Keywords ▲

Citation ▶

TITLE Redband Trout Distribution
 PUBLICATION DATE 2019-01-31 00:00:00

PRESENTATION FORMATS digital map

Hide Citation ▲

Citation Contacts ▶

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Van C. Hare
 ORGANIZATION'S NAME StreamNet, Pacific States Marine Fisheries Commission
 CONTACT'S POSITION GIS Manager
 CONTACT'S ROLE publisher

CONTACT INFORMATION ▶

ADDRESS

DELIVERY POINT 205 SE Spokane Street, Suite 100
 CITY Portland
 ADMINISTRATIVE AREA OR
 POSTAL CODE 97202
 COUNTRY US
 E-MAIL ADDRESS gis@psmfc.org

Hide Contact information ▲

Hide Citation Contacts ▲

Resource Details ▶

DATASET LANGUAGES English (UNITED STATES)
 DATASET CHARACTER SET utf8 - 8 bit UCS Transfer Format

STATUS completed

SPATIAL REPRESENTATION TYPE vector

* PROCESSING ENVIRONMENT Version 6.2 (Build 9200) ; Esri ArcGIS 10.6.0.8321

CREDITS

Data was compiled by the StreamNet project (<http://www.streamnet.org>), which is administered by the Pacific States Marine Fisheries Commission. Data was provided by Washington Dept. of Fish and Wildlife, Oregon Dept. of Fish and Wildlife, Idaho Dept. of Fish and Game and Montana Fish Wildlife and Parks. The StreamNet project is funded by the Bonneville Power Administration (BPA Project # 1988-108-04).

ARCGIS ITEM PROPERTIES

* NAME FishDist_RedbandTrout

* LOCATION file://

\\honu\GISServices\Data\StreamNet\DownloadPackages\StreamNet_RedbandTroutDist_20190131.gdb

* ACCESS PROTOCOL Local Area Network

[Hide Resource Details ▲](#)

Extents ►

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

WEST LONGITUDE -124.724056

EAST LONGITUDE -110.833836

SOUTH LATITUDE 41.779103

NORTH LATITUDE 49.00743

EXTENT CONTAINS THE RESOURCE Yes

VERTICAL EXTENT

* MINIMUM VALUE 0.000000

* MAXIMUM VALUE 0.000000

EXTENT

GEOGRAPHIC EXTENT

BOUNDING RECTANGLE

EXTENT TYPE Extent used for searching

* WEST LONGITUDE -122.825496

* EAST LONGITUDE -113.718116

* NORTH LATITUDE 49.007430

* SOUTH LATITUDE 41.824868

* EXTENT CONTAINS THE RESOURCE Yes

EXTENT IN THE ITEM'S COORDINATE SYSTEM

* WEST LONGITUDE -13672871.638100

* EAST LONGITUDE -12659042.811800

* SOUTH LATITUDE 5134781.515900

* NORTH LATITUDE 6276122.283900

* EXTENT CONTAINS THE RESOURCE Yes

[Hide Extents ▲](#)

Resource Points of Contact ►

POINT OF CONTACT

INDIVIDUAL'S NAME Van C. Hare

ORGANIZATION'S NAME Pacific States Marine Fisheries Commission

CONTACT'S POSITION GIS Manager

CONTACT'S ROLE point of contact

[Hide Resource Points of Contact ▲](#)

Resource Maintenance ►

RESOURCE MAINTENANCE

UPDATE FREQUENCY irregular

[Hide Resource Maintenance ▲](#)

Resource Constraints ►

LEGAL CONSTRAINTS

LIMITATIONS OF USE

This product was prepared as a cooperative effort of the U.S. Government, state governments, the region's tribes and tribal fish organizations, and the Pacific States Marine Fisheries Commission. None of these organizations, nor any of their employees, makes any warranty, express or implied, or assumes any legal liability or responsibility for the accuracy, completeness, or usefulness of any information, apparatus, product, or process disclosed, or represents that its use would not infringe on privately owned rights. Reference herein to any specific commercial product, process, or service by trade name, trademark, manufacturer, or otherwise does not necessarily constitute or imply its endorsement, recommendation, or favoring by the participating organizations. The views and opinions of authors expressed herein do not necessarily reflect those of the participating agencies.

CONSTRAINTS

LIMITATIONS OF USE

Data are collected at various scales by StreamNet's partners. This dataset represents believed instances of fish distribution or habitat that likely supports fish distribution, and as every stream has not been fully evaluated, this is not an all-inclusive list of fish distribution in this region. Each line included in this feature class represents a stream segment of suitable habitat currently believed to be utilized by wild, natural, and/or hatchery fish populations and/or streams where sightings of wild, natural, and/or hatchery fish have been documented. Please read the metadata thoroughly and contact PSMFC's GIS team (gis@psmfc.org) with specific questions - especially if using this dataset in any official assessment efforts.

[Hide Resource Constraints ▲](#)

Spatial Reference ►

ARCGIS COORDINATE SYSTEM

- * TYPE Projected
- * GEOGRAPHIC COORDINATE REFERENCE GCS_WGS_1984
- * PROJECTION WGS_1984_Web_Mercator_Auxiliary_Sphere
- * COORDINATE REFERENCE DETAILS

PROJECTED COORDINATE SYSTEM

WELL-KNOWN IDENTIFIER 102100
 X ORIGIN -20037700
 Y ORIGIN -30241100
 XY SCALE 10000
 Z ORIGIN -100000
 Z SCALE 10000
 M ORIGIN -1755421.254528
 M SCALE 10000
 XY TOLERANCE 0.001
 Z TOLERANCE 0.001
 M TOLERANCE 0.001
 HIGH PRECISION true
 LATEST WELL-KNOWN IDENTIFIER 3857
 WELL-KNOWN TEXT PROJCS["WGS_1984_Web_Mercator_Auxiliary_Sphere",GEOGCS["GCS_WGS_1984",DATUM["D_WGS_1984",SPHEROID

```
["WGS_1984",6378137.0,298.257223563]],PRIMEM["Greenwich",0.0],UNIT
["Degree",0.0174532925199433]],PROJECTION["Mercator_Auxiliary_Sphere"],PARAMETER
["False_Easting",0.0],PARAMETER["False_Northing",0.0],PARAMETER
["Central_Meridian",0.0],PARAMETER["Standard_Parallel_1",0.0],PARAMETER
["Auxiliary_Sphere_Type",0.0],UNIT["Meter",1.0],AUTHORITY["EPSG",3857]]
```

REFERENCE SYSTEM IDENTIFIER

VALUE 3857

* CODESPACE EPSG

* VERSION 8.8(9.3.1.2)

[Hide Spatial Reference ▲](#)

Spatial Data Properties ►

VECTOR ►

* LEVEL OF TOPOLOGY FOR THIS DATASET geometry only

GEOMETRIC OBJECTS

FEATURE CLASS NAME FishDist_RedbandTrout

* OBJECT TYPE composite

* OBJECT COUNT 6094

[Hide Vector ▲](#)

ARCGIS FEATURE CLASS PROPERTIES ►

FEATURE CLASS NAME FishDist_RedbandTrout

* FEATURE TYPE Simple

* GEOMETRY TYPE Polyline

* HAS TOPOLOGY FALSE

* FEATURE COUNT 6094

* SPATIAL INDEX TRUE

* LINEAR REFERENCING TRUE

[Hide ArcGIS Feature Class Properties ▲](#)

[Hide Spatial Data Properties ▲](#)

Data Quality ►

SCOPE OF QUALITY INFORMATION ►

RESOURCE LEVEL dataset

[Hide Scope of quality information ▲](#)

[Hide Data Quality ▲](#)

Geoprocessing history ►

PROCESS

PROCESS NAME Select Redband Trout

DATE 2019-02-07 14:00:21

TOOL LOCATION c:\program files\arcgis\pro\Resources\ArcToolbox\toolboxes\Analysis Tools.tbx\Select

COMMAND ISSUED

Select X:\Data\StreamNet\StreamNet.gdb\FishDist_AllSpeciesCombined_20190131

X:\Data\StreamNet\StreamNet.gdb\FishDist_RedbandTrout "Species = 'Redband trout'"

INCLUDE IN LINEAGE WHEN EXPORTING METADATA No

[Hide Geoprocessing history ▲](#)

Distribution ►

DISTRIBUTION FORMAT

* NAME File Geodatabase Feature Class
 VERSION 10.6

[Hide Distribution ▲](#)

Fields ►

DETAILS FOR OBJECT FishDist_RedbandTrout ►

* TYPE Feature Class
 * ROW COUNT 6094

DEFINITION

Generalized Fish Distribution

DEFINITION SOURCE

StreamNet Data Exchange Format - Generalized Fish Distribution Spatial Data Compilation

FIELD OBJECTID ►

* ALIAS OBJECTID
 * DATA TYPE OID
 * WIDTH 4
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Internal feature number.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Sequential unique whole numbers that are automatically generated.

[Hide Field OBJECTID ▲](#)

FIELD LOCATIONID ►

* ALIAS LocationID
 * DATA TYPE String
 * WIDTH 13
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Unique Location identifier relating to a whole stream route - Code is dereferenced by related attribute: STREAMNAME

NOTE: While this used to be a required field in prior versions of this dataset, it is now optional so <null> values are permitted and present. This relaxing in standards allows partners to submit their data as spatial datasets with geometry as opposed to sharing data as linear event records that reference a common regional hydrography. For partners that continue to manage fish distribution as whole-stream linear events, this field serves as a Route Identifier that relates to their agency's established routed hydrography layer.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST StreamNet LocationID (unique identifier for locations in the StreamNet database)
SOURCE Location table in the StreamNet database

Hide Field LOCATIONID ▲

FIELD RecordID ►

- * ALIAS RecordID
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

NOTE: While this used to be a required field in prior versions of this dataset, it is now optional. Where values are not submitted by a partner agency, future updates to the regional dataset will occur as complete replacements from the source (as opposed to data being updated on an individual record basis).

DESCRIPTION OF VALUES

A series of sequential numbers uniquely identifying a record (optional for use in coordinating data exchange and QA/QC between originating project partner and PSFMC)

Hide Field RecordID ▲

FIELD BEGFT ►

- * ALIAS BegFt
- * DATA TYPE Integer
- * WIDTH 4
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Beginning stream measurement of distribution event in feet (note: this attribute in combination with 'LocationID' and 'EndFt' is used to georeference the route event)

NOTE: While this used to be a required field in prior versions of this dataset, it is now optional so <null> values are permitted and present. This relaxing in standards allows partners to submit their data as spatial datasets with geometry as opposed to sharing data as linear event records that reference a common regional hydrography. For partners that continue to manage fish distribution as whole-stream linear events, this field serves as a Beginning Measure that relates to their agency's established routed hydrography layer.

DESCRIPTION SOURCE

StreamNet

DESCRIPTION OF VALUES

optional stream measure (legacy field at the regional level)

Hide Field BEGFT ▲

FIELD ENDFT ►

- * ALIAS EndFt
- * DATA TYPE Integer
- * WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Ending stream measurement of distribution event in feet (note: this attribute in combination with 'LocationID' and 'BegFt' is used to georeference the route event)

NOTE: While this used to be a required field in prior versions of this dataset, it is now optional so <null> values are permitted and present. This relaxing in standards allows partners to submit their data as spatial datasets with geometry as opposed to sharing data as linear event records that reference a common regional hydrography. For partners that continue to manage fish distribution as whole-stream linear events, this field serves as a Ending Measure that relates to their agency's established routed hydrography layer.

DESCRIPTION SOURCE

StreamNet

DESCRIPTION OF VALUES

optional stream measure (legacy field at the regional level)

Hide Field ENDFT ▲

FIELD STREAMNAME ►

* ALIAS StreamName

* DATA TYPE String

* WIDTH 100

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Name of stream coded by: [LOCATIONID] or (in cases where LocationID was not provided) as provided directly from the source agency (referenced in [CompiledBy] field).

DESCRIPTION SOURCE

StreamNet

DESCRIPTION OF VALUES

Location name for stream (optionally derived from LocationID reference to LocMaster table in StreamNet database)

Hide Field STREAMNAME ▲

FIELD StreamAndTribNames ►

* ALIAS StreamAndTribNames

* DATA TYPE String

* WIDTH 160

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Qualified Stream Name including name of stream the feature is a tributary to. Where a LocationID is provided, this information is dereferenced using a related "LocMaster" table that is managed by PSMFC. Where LocationID is null, this value will also be null.

DESCRIPTION SOURCE

StreamNet

DESCRIPTION OF VALUES

Qualified name for stream, including the tributary it flows into. Optional field derived from

LocMaster table in StreamNet where LocationID is present OR - may be provided directly by the originator.

[Hide Field StreamAndTribNames ▲](#)

FIELD SPECIES ►

- * ALIAS Species
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Common name of species in the indicated reach as coded by: SPECIESID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Species
SOURCE Species table in the StreamNet database

[Hide Field SPECIES ▲](#)

FIELD SpeciesID ►

- * ALIAS SpeciesID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Species identifier used by the StreamNet project. Decoded in the 'Species' field.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Species
SOURCE Species table in the StreamNet database

[Hide Field SpeciesID ▲](#)

FIELD SCINAME ►

- * ALIAS SciName
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Scientific name of species in the indicated reach as coded by: SPECIESID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Species
SOURCE Species table in the StreamNet database

[Hide Field SCINAME ▲](#)

FIELD RUNID ►

- * ALIAS RunID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Code identifying the fish run in the indicated reach as coded by: RUN

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Run
SOURCE Run table in the StreamNet database

[Hide Field RUNID ▲](#)

FIELD RUN ►

- * ALIAS Run
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Run of species in the indicated reach coded by: RUNID

DESCRIPTION SOURCE

StreamNet

[Hide Field RUN ▲](#)

FIELD SUBRUNID ►

- * ALIAS SubRunID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Code for the fish subrun of the species/run in the indicated reach

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST SubRun
SOURCE SubRun table in the StreamNet database

[Hide Field SUBRUNID ▲](#)

FIELD SUBRUN ►

- * ALIAS SubRun
- * DATA TYPE String
- * WIDTH 50
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

subrun of the species in the indicated reach as coded by: SUBRUNID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST SubRun

SOURCE SubRun table in the StreamNet database

Hide Field SUBRUN ▲

FIELD LifeHistoryID ►

* ALIAS LifeHistoryID

* DATA TYPE SmallInteger

* WIDTH 2

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Code for the life history strategy(s) of the species in the reach.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST LifeHistory

SOURCE LifeHistory table in the StreamNet database

Hide Field LifeHistoryID ▲

FIELD LifeHistoryType ►

* ALIAS LifeHistoryType

* DATA TYPE String

* WIDTH 80

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Life history description of the species in the indicated reach as coded by: LifeHistoryID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST LifeHistory

SOURCE LifeHistory table in the StreamNet database

Hide Field LifeHistoryType ▲

FIELD USETYPEID ►

* ALIAS UseTypeID

* DATA TYPE SmallInteger

* WIDTH 2

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Code describing how fish use the indicated stream segment.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST UseType
SOURCE UseType table in the StreamNet database

[Hide Field USETYPEID ▲](#)

FIELD USETYPE ►

* ALIAS UseType
* DATA TYPE String
* WIDTH 50
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Description of how fish use the indicated stream segment as coded by: USETYPEID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST UseType
SOURCE UseType table in the StreamNet database

[Hide Field USETYPE ▲](#)

FIELD REFID ►

* ALIAS RefID
* DATA TYPE Integer
* WIDTH 4
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Code indentifying reference of data in the StreamNet reference library.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Reference
SOURCE Reference table in the StreamNet database

[Hide Field REFID ▲](#)

FIELD BASISID ►

* ALIAS BasisID
* DATA TYPE SmallInteger
* WIDTH 2
* PRECISION 0
* SCALE 0

FIELD DESCRIPTION

Code identifying the basis for the information contained in the record

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Basis
SOURCE StreamNet Fish Distribution data standard

[Hide Field BASISID ▲](#)

FIELD BASIS ▶

- * ALIAS Basis
- * DATA TYPE String
- * WIDTH 80
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Description of the basis for the information contained in the record as coded by: BASISID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Basis
SOURCE StreamNet Fish Distribution data standard

[Hide Field BASIS ▲](#)

FIELD BasisMethod ▶

- * ALIAS Basis Method
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Additional description of the methods used by the referenced basis. Note that this is an optional field so <null> values are present.

DESCRIPTION SOURCE

StreamNet

DESCRIPTION OF VALUES

Additional details of the basis as provided by the originator

[Hide Field BasisMethod ▲](#)

FIELD CompiledBy ▶

- * ALIAS CompiledBy
- * DATA TYPE String
- * WIDTH 12
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

StreamNet partner agency that compiled and submitted data for the indicated reach as coded by: CompilerID

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Compiler
SOURCE Compiler table in the StreamNet database

[Hide Field CompiledBy ▲](#)

FIELD **CompilerID** ▶

- * ALIAS CompilerID
- * DATA TYPE SmallInteger
- * WIDTH 2
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Code identifying the StreamNet partner that compiled and submitted the information contained in the record. This field is decoded by the [CompiledBy] field.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Compiler
SOURCE Compiler table in the StreamNet database

Hide Field CompilerID ▲

FIELD **UPDDATE** ▶

- * ALIAS UpdDate
- * DATA TYPE Date
- * WIDTH 8
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

The date and time that the underlying event record was created or updated. For data obtained in electronic format from another source it can reflect the date and time of data capture or of conversion to StreamNet format.

DESCRIPTION SOURCE

StreamNet

Hide Field UPDDATE ▲

FIELD **Title** ▶

- * ALIAS Title
- * DATA TYPE String
- * WIDTH 254
- * PRECISION 0
- * SCALE 0

FIELD DESCRIPTION

Title of the source reference (report, project or database) that the information for the record was derived from as referenced by the [RefID] field.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Reference
SOURCE Reference table in the StreamNet database

Hide Field Title ▲

FIELD **Authors** ▶

- * ALIAS Authors
- * DATA TYPE String
- * WIDTH 254

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Authors of the source reference (report, project or database) that the information for the record was derived from as referenced by the [RefID] field.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Reference

SOURCE Reference table in the StreamNet database

[Hide Field Authors ▲](#)

FIELD PubYear ►

* ALIAS PubYear

* DATA TYPE String

* WIDTH 40

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Publication year of the source reference (report, project or database) that the information for the record was derived from as referenced by the [RefID] field. Note: additional information about the source reference is available from the Reference table in StreamNet's database and in many cases the reference documents cited are available from the StreamNet Library.

DESCRIPTION SOURCE

StreamNet

CODED VALUES

NAME OF CODELIST Reference

SOURCE Reference table in the StreamNet database

[Hide Field PubYear ▲](#)

FIELD SHAPE ►

* ALIAS Shape

* DATA TYPE Geometry

* WIDTH 0

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Feature geometry.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Coordinates defining the features.

[Hide Field SHAPE ▲](#)

FIELD Year ►

* ALIAS Year

* DATA TYPE SmallInteger

* WIDTH 2

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

Year the record was last updated (and content was changed by the source compiling agency that contributed data to StreamNet).

DESCRIPTION SOURCE

StreamNet

[Hide Field Year ▲](#)

FIELD EndExtentID ►

* ALIAS EndExtentID

* DATA TYPE SmallInteger

* WIDTH 2

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

A series of enumerated values that indicate when the ending stream measurement of a fish distribution event [EndFt] is intended to indicate the top end of the stream, or the state border, or if there is a deliberate reason why the EndFt value falls short of the top of the stream or just shy or just over a state border. See the enumerated domain for decoded values.

NOTE: While this used to be a required field in prior versions of this dataset, it is now optional so <null> values are permitted and present. This relaxing in standards allows partners to submit their data as spatial datasets with geometry as opposed to sharing data as linear event records that reference a common regional hydrography. For partners that continue to manage fish distribution as whole-stream linear events, this field serves as a useful tool to help QA/QC ending measure values that relate to their agency's established routed hydrography layer.

DESCRIPTION SOURCE

StreamNet

LIST OF VALUES

VALUE 0

DESCRIPTION EndFt value is not meant to represent the top end of stream or a state border

ENUMERATED DOMAIN VALUE DEFINITION SOURCE StreamNet

VALUE 1

DESCRIPTION EndFt value is meant to represent the top of the stream

ENUMERATED DOMAIN VALUE DEFINITION SOURCE StreamNet

VALUE 2

DESCRIPTION EndFt value is meant to represent the state border

ENUMERATED DOMAIN VALUE DEFINITION SOURCE StreamNet

VALUE 97

DESCRIPTION Not yet determined

ENUMERATED DOMAIN VALUE DEFINITION SOURCE StreamNet

[Hide Field EndExtentID ▲](#)

FIELD GISDate ►

* ALIAS GISDate

* DATA TYPE String

* WIDTH 8

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

For internal record keeping - identifies to the date a spatial dataset was received and catalogued for processing by PSMFC's GIS staff. The [UpdDate] field should be consulted to determine when a record was last updated by the source compiling agency.

DESCRIPTION SOURCE

StreamNet

[Hide Field GISDate ▲](#)

FIELD GIS_Comments ►

* ALIAS GIS_Comments

* DATA TYPE String

* WIDTH 50

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

For internal record keeping - notes related to processing the spatial data submission - used by PSMFC GIS staff

DESCRIPTION SOURCE

StreamNet

[Hide Field GIS_Comments ▲](#)

FIELD SrcRecordID ►

* ALIAS SrcRecordID

* DATA TYPE Integer

* WIDTH 4

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

The original unique record identifier as found in the source spatial dataset submitted by the [CompiledBy] agency. This may be useful for supporting internal communications between StreamNet partners.

DESCRIPTION SOURCE

StreamNet

[Hide Field SrcRecordID ▲](#)

FIELD SrcComments ►

* ALIAS SrcComments

* DATA TYPE String

* WIDTH 255

* PRECISION 0

* SCALE 0

FIELD DESCRIPTION

For internal record keeping - tracks additional qualifying notes from the source compiling agency

DESCRIPTION SOURCE

StreamNet

[Hide Field SrcComments ▲](#)

FIELD Shape_Length ►

* ALIAS Shape_Length

* DATA TYPE Double
 * WIDTH 8
 * PRECISION 0
 * SCALE 0

FIELD DESCRIPTION

Length of feature in internal units.

DESCRIPTION SOURCE

ESRI

DESCRIPTION OF VALUES

Positive real numbers that are automatically generated.

[Hide Field Shape_Length ▲](#)

[Hide Details for object FishDist_RedbandTrout ▲](#)

[Hide Fields ▲](#)

References ►

AGGREGATE INFORMATION

ASSOCIATION TYPE source

INITIATIVE TYPE project

AGGREGATE RESOURCE NAME ►

TITLE ODFW Fish Habitat Distribution [ODFW_1167_5_FHD_Publication.gdb]

ALTERNATE TITLES Oregon Fish Habitat Distribution - FHD_AllSpeciesCombined (feature class)

PUBLICATION DATE 2018-04-02 00:00:00

COLLECTION TITLE Oregon Fish Habitat Distribution - FHD Publication (geodatabase)

OTHER CITATION DETAILS

Dataset provided to PSMFC by ODFW (Jon Bowers) on 4/2/2018 Link provided is to the ODFW distribution site for these data

RESPONSIBLE PARTY

INDIVIDUAL'S NAME Jon Bowers

ORGANIZATION'S NAME Oregon Department of Fish and Wildlife

CONTACT'S POSITION GIS Coordinator, Management Resoruces Division

CONTACT'S ROLE originator

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 4034 Fairview Industrial Drive SE

CITY Salem

ADMINISTRATIVE AREA OR

POSTAL CODE 97302

COUNTRY US

E-MAIL ADDRESS jon.k.bowers@state.or.us

[Hide Contact information ▲](#)

[Hide Aggregate resource name ▲](#)

AGGREGATE INFORMATION

ASSOCIATION TYPE **source**
 INITIATIVE TYPE **project**

AGGREGATE RESOURCE NAME ▶

TITLE **IDFG Generalized Fish Distribution (all species combined)**
 ALTERNATE TITLES **IDFG_GeneralizedFishDistribution.gdb (as submitted to PSMFC 12/7/2018)**
 PUBLICATION DATE **2018-12-07 00:00:00**

RESPONSIBLE PARTY

INDIVIDUAL'S NAME **Evan Brown**
 ORGANIZATION'S NAME **Idaho Department of Fish and Game**
 CONTACT'S POSITION **Senior Data Coordinator**
 CONTACT'S ROLE **originator**

CONTACT INFORMATION ▶

ADDRESS

DELIVERY POINT **600 South Walnut, P.O. Box 25**
 CITY **Boise**
 ADMINISTRATIVE AREA **ID**
 POSTAL CODE **83707**
 COUNTRY **US**
 E-MAIL ADDRESS **evan.brown@idfg.idaho.gov**

Hide Contact information ▲

Hide Aggregate resource name ▲

AGGREGATE INFORMATION

ASSOCIATION TYPE **source**
 INITIATIVE TYPE **project**

AGGREGATE RESOURCE NAME ▶

TITLE **WDFW Generalized Fish Distribution Dataset (as submitted to PSMFC 10/01/2018)**
 ALTERNATE TITLES **WDFW20181001fishdist.gdb**
 CREATION DATE **2018-10-01 00:00:00**

OTHER CITATION DETAILS

This dataset is a subset of WDFW's SWIFD (Statewide Washington Integrated Fish Distribution) excludes any null geometry or disttypes that are undetected, potential or modeled distribution. Note SWIFD only includes modeled distribution outside the Columbia Basin. Contact Leslie Sikora: Leslie.Sikora@dfw.wa.gov

RESPONSIBLE PARTY

INDIVIDUAL'S NAME **Leslie Sikora**
 ORGANIZATION'S NAME **Washington Department of Fish and Wildlife**
 CONTACT'S POSITION **Location Data Manager, WDFW StreamNet project**
 CONTACT'S ROLE **originator**

CONTACT INFORMATION ▶

ADDRESS

DELIVERY POINT **600 Capitol Way, N.**
 CITY **Olympia**
 ADMINISTRATIVE AREA **WA**
 POSTAL CODE **98501-1091**
 COUNTRY **US**
 E-MAIL ADDRESS **Leslie.Sikora@dfw.wa.gov**

[Hide Contact information ▲](#)[Hide Aggregate resource name ▲](#)

AGGREGATE INFORMATION

ASSOCIATION TYPE **source**INITIATIVE TYPE **project**

AGGREGATE RESOURCE NAME ►

TITLE **MFWP Generalized Fish Distribution dataset (all species combined)**ALTERNATE TITLES **MTFishDistAll.gdb (as submitted to PSMFC 12/26/2018)**PUBLICATION DATE **2018-12-26 00:00:00**

RESPONSIBLE PARTY

INDIVIDUAL'S NAME **Ryan Alger**ORGANIZATION'S NAME **Montana Fish, Wildlife and Parks**CONTACT'S POSITION **GIS Analyst / Technician**CONTACT'S ROLE **originator**

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT **1420 E. Sixth Avenue**CITY **Helena**ADMINISTRATIVE AREA **MT**POSTAL CODE **59620**E-MAIL ADDRESS **Ryan.Alger@mt.gov**[Hide Contact information ▲](#)[Hide Aggregate resource name ▲](#)[Hide References ▲](#)**Metadata Details ►**METADATA LANGUAGE **English (UNITED STATES)**METADATA CHARACTER SET **utf8 - 8 bit UCS Transfer Format**METADATA IDENTIFIER **0B4456F4-50A8-4A6C-BAD5-139A1F023DF2**SCOPE OF THE DATA DESCRIBED BY THE METADATA **dataset**SCOPE NAME *** dataset***** LAST UPDATE 2019-02-08**

ARCGIS METADATA PROPERTIES

METADATA FORMAT **ArcGIS 1.0**METADATA STYLE **North American Profile of ISO19115 2003**STANDARD OR PROFILE USED TO EDIT METADATA **NAP**CREATED IN ARCGIS FOR THE ITEM **2019-02-07 15:04:43**LAST MODIFIED IN ARCGIS FOR THE ITEM **2019-02-08 11:22:11**

AUTOMATIC UPDATES

HAVE BEEN PERFORMED **Yes**LAST UPDATE **2019-02-08 11:21:52**

[Hide Metadata Details ▲](#)

Metadata Contacts ►

METADATA CONTACT

INDIVIDUAL'S NAME PSMFC GIS Team
ORGANIZATION'S NAME Pacific States Marine Fisheries Commission
CONTACT'S POSITION PSMFC GIS Team
CONTACT'S ROLE point of contact

CONTACT INFORMATION ►

ADDRESS

DELIVERY POINT 205 SE Spokane Street, Suite 100
CITY Portland
ADMINISTRATIVE AREA OR
POSTAL CODE 97202
E-MAIL ADDRESS GIS@psmfc.org

[Hide Contact information ▲](#)

[Hide Metadata Contacts ▲](#)

Metadata Maintenance ►

MAINTENANCE

UPDATE FREQUENCY unknown

OTHER MAINTENANCE REQUIREMENTS

Last metadata review date: 20190204

[Hide Metadata Maintenance ▲](#)

Thumbnail and Enclosures ►

THUMBNAIL

THUMBNAIL TYPE JPG

[Hide Thumbnail and Enclosures ▲](#)

FGDC Metadata (read-only) ▼